


**Amendments to the Claims:**

This listing of claims replaces all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) A compound represented by Formula II:




or a pharmaceutically acceptable salt or hydrate thereof, wherein:

$m=1, 2, 3, \text{ or } 4$ ;

$p = 9 \text{ to } 20$ ;

$m$  is 2 and  $\text{X}$  is a bond or  $m$  is 1 and  $\text{X}$  is a bond, O, NH,  $\text{S}(\text{O})_k$ , wherein  $k$  is 0, 1 or 2;

$\text{A}$  is selected from the group consisting of:  $-\text{CO}_2\text{H}$ ,  $-\text{PO}_3\text{H}_2$ ,  $-\text{PO}_2\text{H}_2$ ,  $-\text{SO}_3\text{H}$ ,  
 $-\text{PO}(\text{R}^8)\text{OH}$ ,



each  $R^1$  is independently selected from the group consisting of: hydrogen, halo, hydroxy, -CO<sub>2</sub>H, C<sub>1</sub>-4alkyl, C<sub>1</sub>-4alkoxy, C<sub>1</sub>-4alkylthio and aryl, wherein said C<sub>1</sub>-4alkyl, C<sub>1</sub>-4alkoxy and C<sub>1</sub>-4alkylthio are each optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C<sub>1</sub>-4alkyl, or

two  $R^1$  groups on adjacent carbon atoms may be joined together to form a double bond;

each  $R^3$  is independently selected from the group consisting of: hydrogen, halo, hydroxy, -CO<sub>2</sub>H, C<sub>1</sub>-4alkyl, C<sub>1</sub>-4alkoxy, C<sub>1</sub>-4alkylthio and aryl, wherein said C<sub>1</sub>-4alkyl, C<sub>1</sub>-4alkoxy and C<sub>1</sub>-4alkylthio are each optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C<sub>1</sub>-4alkyl, or

two  $R^3$  groups on adjacent carbon atoms may be joined together to form a double bond; and

$R^2$  and  $R^4$  are each independently selected from the group consisting of: hydrogen, halo, hydroxy, -CO<sub>2</sub>H, C<sub>1</sub>-4alkyl, C<sub>1</sub>-4alkoxy, C<sub>1</sub>-4alkylthio and aryl, wherein said C<sub>1</sub>-4alkyl, C<sub>1</sub>-4alkoxy and C<sub>1</sub>-4alkylthio are each optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C<sub>1</sub>-4alkyl;

or R<sup>1</sup> and R<sup>2</sup> or R<sup>3</sup> and R<sup>4</sup> residing on the same carbon atom may optionally be joined together to form a carbonyl group,

R<sup>8</sup> is selected from the group consisting of: C<sub>1-4</sub>alkyl and aryl, wherein said C<sub>1-4</sub>alkyl is optionally substituted with 1-3 halo groups and aryl is optionally substituted with 1-5 substituents independently selected from the group consisting of: halo, C<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>1-6</sub>alkoxy, C<sub>1-6</sub>alkylthio and C<sub>3-6</sub>cycloalkoxy, said C<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>1-6</sub>alkoxy, C<sub>1-6</sub>alkylthio and C<sub>3-6</sub>cycloalkoxy optionally substituted from one up to the maximum number of substitutable positions with halo,

R<sup>9</sup> is selected from the group consisting of: hydrogen, halo, hydroxy, C<sub>1-4</sub>alkoxy, C<sub>1-4</sub>alkylthio and C<sub>3-7</sub>cycloalkyl, wherein said C<sub>1-4</sub>alkoxy, C<sub>1-4</sub>alkylthio and C<sub>3-7</sub>cycloalkyl are each independently optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C<sub>1-4</sub>alkyl.


2. (original) The compound according to Claim 1 wherein X is a bond and m is 2.

3. (withdrawn) The compound according to Claim 1 wherein X is selected from O, NH or S and m is 1.

4. (original) The compound in accordance with Claim 1 wherein A is selected from the group consisting of: -CO<sub>2</sub>H, -PO<sub>3</sub>H<sub>2</sub>, -PO<sub>2</sub>H<sub>2</sub>, -SO<sub>3</sub>H and -PO(R<sup>8</sup>)OH.

5. (original) The compound according to Claim 1 wherein p is 9 to 16.

6. (original) A compound selected from the group consisting of:



7 to 19. (canceled)

20. (original) A pharmaceutical composition comprised of a compound in accordance with Claim 1 in combination with a pharmaceutically acceptable carrier.